



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

in her cultures and obtained "apogamous outgrowths" in that species also.—J. M. C.

Peat soils.—In a discussion of the agricultural possibilities of the vast peat areas of Minnesota, estimated at 7,000,000 acres, ALWAY¹³ has shown the close relationship between agricultural and ecological problems. There is a general discussion of peat soils, a synopsis of the history of peat-land control in Europe, and a review of the literature. The two systems of control discussed are those by chemical treatment and those by burning. Toxic substances in the peat and in the substratum are also considered.—GEO. D. FULLER.

Ultra-violet light and yeast.—FEUER and TANNER¹⁴ have studied the effect of ultra-violet light on 30 different species, strains, and varieties of yeastlike fungi, and conclude that these organisms are not very resistant to ultra-violet light, and that this might be used in controlling developing yeast in the industries. Further quantitative work is under way.—WM. CROCKER.

A non-absorbing atmometer mounting.—LIVINGSTON and THONE¹⁵ have devised a new and much simplified mounting for porous cup atmometers which prevents absorption during periods of precipitation. The necessary valve is constructed in a simple straight glass tube by the use of a piece of mineral wool and a drop of mercury.—GEO. D. FULLER.

Internal stomata.—BERGMAN,¹⁶ having observed stomata in the endocarp of the cultivated cranberry, extended his observations to numerous ericads, finding internal stomata in a number of them. Experiments indicated that they had not retained their ability to function, and the general conclusion is advanced that they are relics retained by a "modified leaf."—J. M. C.

¹³ ALWAY, F. J., Agricultural value and reclamation of Minnesota peat soils. Univ. Minn. Agric. Exper. Sta. Bull. 188. pp. 136. *figs.* 54. 1920.

¹⁴ FEUER, B., and TANNER, F. R., The action of ultra-violet light on the yeastlike fungi. Jour. Ind. Eng. Chem. 12:740, 741. 1920.

¹⁵ LIVINGSTON, B. E., and THONE, FRANK, A simplified non-absorbing mounting for porous porcelain atmometers. Science N.S. 52:85-87. 1920.

¹⁶ BERGMAN, H. F., Internal stomata in ericaceous and other unrelated fruits. Bull. Torr. Bot. Club 47:213-221. *figs.* 9. 1920.